

MOLDEX® MOLD KILLER

DESCRIPTION AND USES

Moldex® Mold Killer kills mould and inhibits mildew. Moldex Mold Killer is effective against a broad spectrum of bacteria, is fungicidal, and inhibits the growth of mould and mildew and their odours when used as directed. Cleans with a fresh scent. Eliminates odours.

READ THE LABEL BEFORE USING

DIN: 02437198

PRODUCTS		
SKU	DESCRIPTION	
5012	946 mL Bottle	
5017	650 mL Bottle	
5522	3.78 L Bottle	
350634	18.9 L Pail	

PERFORMANCE CHARACTERISTICS

- Bleach-Free
- Kills Mould
- Inhibits the growth of mould and mildew
- Cleans, deodorizes and disinfects
- Commercial and Industrial use

PRODUCT APPLICATION

DIRECTION FOR USE

This product is a proven "one-step" disinfectant-cleaner-fungicide-mildewstat which is effective in water up to 400 ppm hardness in the presence of 5% serum contamination. Apply this product undiluted to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks, tile, porcelain, and bedframes with a cloth, or by coarse spray from hand operated trigger or pump spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning with this product is required prior to disinfection. Use a fresh solution daily or when use solution becomes visibly dirty. For sprayer application use a coarse spray device. Do not breathe spray mist. Spray 15-20 cm from surface.

DISINFECTION

To disinfect hard non-porous surfaces in hospitals use undiluted, treated surfaces must remain wet for 10 minutes. This product will disinfect hard non-porous surfaces in school industry and non-medical institution and is also fungicidal.

PRODUCT APPLICATION (cont.)

FOR SCHOOLS, INDUSTY AND NON-MEDICAL INSTITUTION USE

Undiluted, this product delivers excellent cleaning and germicidal effectiveness. It is effective against Staphylococcus aureus, Salmonella choleraesuis, Escherchia coli and Serratia marcescens. The same AOAC tests used to confirm performance for hospitals were used.

AOAC FUNGICIDAL TEST

Undiluted, this product is an effective fungicide against Trichophytonmentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities, etc.

MOULD AND MILDEW CONTROL

Undiluted, this product will effectively inhibit the growth of mould and mildew and the odours caused by them when applied to hard, non-porous surfaces (as indicated in general cleaning instructions above). Allow to dry on surface and repeat when mildew growth returns.

INSTRUCTIONS FOR CLEANING AND DECONTAMINATING AGAINST HIV-1 AND HEPATITIS B VIRUS ON SURFACES AND OBJECTS SOILED WITH BLOOD OR BODILY FLUIDS

This product is effective against HIV-1 (Human Immunodeficiency Virus) in hard water up to 400 ppm (CaCO3), and in the presence of organic soil (5% blood serum).

PERSONAL PROTECTION

When handling items soiled with blood or bodily fluids, wear disposable latex gloves, gowns, masks, and eye coverings.

CLEANING PROCEDURE

Thoroughly clean blood or bodily fluids from surfaces before applying this product.

CONTACT TIME

To kill HIV-1, apply this product undiluted and allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIAL

Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to provincial and local regulations for infectious waste disposal.

TO CLEAN AND DEODORIZE

Apply undiluted to surfaces with a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

Form: ARJ-2021 Rev.: 031920



MOLDEX® MOLD KILLER

PRODUCT APPLICATION (cont.)

MOPPING SOLUTIONS, AUTOMATIC SCRUBBERS

Undiluted eliminates undesirable odours.

CLEANING SOLUTION

Undiluted for cleaning of kitchen counters, tables, walls, bathrooms, toilet seats, mopping floors and large routine applications.

DISPOSAL

To dispose of empty containers and unused product, contact your local environmental regulatory agency.

DISPOSAL OF CONTAINERS LARGER THAN 3.78 L

- 1. Triple- or pressure-rinse the empty container. Add the rinsing water to the treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on the disposal of unused, unwanted product, contact the Manufacturer or the Provincial Regulatory Agency.

REGULATORY

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. CAUTION: May cause eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. FIRST-AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or poison control centre immediately. Take container, label or product name and product DIN number with you when seeking medical attention. TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage.

Form: ARJ-2021

2

Rev.: 031920



MOLDEX® MOLD KILLER

PHYSICAL PROPERTIES

		MOLDEX MOLD KILLER
Odour		Floral
PH Concentra	ate	10.0-12.0
Weight	Per Gallon	8.4 lbs.
	Per Liter	2.22 kgs
Solids	Weight	2.2%
	Volume	1.3%
Volatile Organ	nic Compounds	622 g/l
Practical Coverage		Varies with surface type and porosity
Shelf Life		2 years
Flash Point		> 94°C (200°F)
Safety Information		For additional information, see SDS

The technical data and suggestions for use contained herein are correct to the best of our knowledge, and offered in good faith. The statements of this literature do not constitute a warranty, express, or implied, as to the performance of these products. As conditions and use of our materials are beyond our control, we can guarantee these products only to conform to our standards of quality, and our liability, if any, will be limited to replacement of defective materials. All technical information is subject to change without notice.



Phone: 800-387-3625 www.rustoleum.ca

Form: ARJ-2021 Rev.: 031920